

KYXOVIT

Feed Supplement - Polivitaminic - Oral Solution



Animal Use

FORMULA:

Each Liter contains:

Vitamin A	10,000,000 IU
Vitamin D3	5,000,000 IU
Vitamin B2	5000 mg
Vitamin B1	3000 mg
Vitamin E	3000 IU
Vitamin C	2000 mg
Vitamin B6	1000 mg
Vitamin B3	1000 mg
Vitamin H	10 mg
Vitamin B12	2 mg
Choline bitartrate	30000 mg
DL-Methionine	10000 mg
Nicotinamide	5000 mg
Calcium Panthotenate	5000 mg
L-lysine	2000 mg
Folic acid	500 mg
Glycine	900 mg
Cystine	1000 mg
Alanine	1000 mg
Phenylalanine	800 mg
Tryptophane	600 mg
Leucine	600 mg
Isoleucine	300 mg
Calcium Sulphate	300 mg
Phosphorus Sulphate	2000 mg
Magnesium Sulphate	2000 mg
Zinc Sulphate	2000 mg
Excipients q. tp.	1 L



DESCRIPTION:

Vitamin supplement in solution to be administered in the drinking water.

PRESCRIPTION:

KYXOVIT is used to supplement the diet of animal feed through water. The content of vitamins combined with balanced products and mineral levels ensures a rapid reversal of all conditions.

KYXOVIT guarantees an improved production, a fast recovery of diseases caused by bacteria, viral, fungi and it is recommended to improve the defenses stress conditions in transport, vaccination, debeaks, changes in diet and also parasitic infections.

KYXOVIT is also recommended as a supplement in deficiencies due to hypoalimantation, supplementation in organic stress states and recovery of deficient day-old chicks.

KYXOVIT also relieves nervous conditions and skin disorders.

KYXOVIT improves growth, egg production, fertility and hatchability and immune resistance of all livestock ranges, as well as may encourage queen bee lay.

To be used as a supplementary nutritional source of vitamins, amino acids and minerals in poultry, turkeys, cattle, goats, sheep, pigs, bees, dogs and cats, to cover the deficiencies when clinical manifestation is seen.

DOSAGE AND USE:

For oral administration diluted in drinking water.

Poultry: 1 ml every 5 - 10 liters of drinking water.

Cattle, goats & other animals: 1 ml per 5 liters of drinking water.

Bees: 5 ml per liter of sugar syrup, for 8 weeks.

The product can also be used as a food supplement from birth to slaughter.

Prepare only quantity to be consumed daily. The treated water must be replaced every 24 hours.

Consult the veterinary doctor to adjust the dose according to the needs of the case and according to the daily consumption of the batch.

Consult the veterinarian to adjust the dose according to the needs of the case and according to the daily consumption of the flock.

PRECAUTIONS:

Keep out of the reach of children. If accidental exposure occurs, wash with running water and soap. Wash your hands and change clothes after administration. Store in its original container at temperatures between 15°C and 25°C avoiding direct sunlight on the stored product. Do not throw empty containers in open garbage dumps, dispose of them in accordance with local regulations. Do not freeze. Close the container tightly after each use. It is advisable to prepare only the daily amount that will be consumed. Do not use solutions that exceed 24 hours after preparation. Do not use after the expiration date on the label.

Contraindications: None. Side effects: None.

Withdrawal time: Not required.

PACKING:

HDPE 1 litre bottle and 5 litres jerrycan.

(It may be possible not all pakings are traded).

